

```

08:26:11,458 INFO [TomcatDeployer] deploy, ctxPath=/xa-example-1-SNAPSHOT, warUrl=.../tmp/deploy/tmp56891xa-example-1-SNAPSHOT-exp.war/
08:26:11,630 INFO [WebappClassLoader]
validateJarFile(C:\installs\jboss-4.2.2.GA\server\default\.\tmp\deploy\tmp56891xa-example-1-SNAPSHOT-exp.war\WEB-INF\lib\servlet-api-2.5-6.1.4.jar) - jar not loaded. See Servlet Spec 2.3, section 9.7.2. Offending class: javax/servlet/Servlet.class
08:26:11,801 INFO [[/xa-example-1-SNAPSHOT]] Initializing Spring root WebApplicationContext
08:26:11,801 INFO [ContextLoader] Root WebApplicationContext: initialization started
08:26:11,801 INFO [StartupSvc] Starting up
08:26:11,848 INFO [ClassPathXmlApplicationContext] Refreshing org.springframework.context.support.ClassPathXmlApplicationContext@1b8deec:
display nam
e [org.springframework.context.support.ClassPathXmlApplicationContext@1b8deec]; startup date [Mon Jul 07 08:26:11 EDT 2008]; root of context
hierarchy

08:26:11,972 INFO [XmlBeanDefinitionReader] Loading XML bean definitions from class path resource [applicationContext.xml]
08:26:12,113 INFO [ClassPathXmlApplicationContext] Bean factory for application context
[org.springframework.context.support.ClassPathXmlApplicationContext
ontext@1b8deec]: org.springframework.beans.factory.support.DefaultListableBeanFactory@1932eb8
08:26:12,144 INFO [DefaultListableBeanFactory] Pre-instantiating singletons in
org.springframework.beans.factory.support.DefaultListableBeanFactory@1
932eb8: defining beans [queueConnectionFactory,transactionManager]; root of factory hierarchy
08:26:12,237 INFO [DefaultListableBeanFactory] Destroying singletons in
org.springframework.beans.factory.support.DefaultListableBeanFactory@1932eb8:
defining beans [queueConnectionFactory,transactionManager]; root of factory hierarchy
08:26:12,253 ERROR [ContextLoader] Context initialization failed
org.springframework.beans.factory.BeanCreationException: Error creating bean with name 'queueConnectionFactory': Invocation of init method
failed; nes
ted exception is javax.naming.NameNotFoundException: QueueConnectionFactory not bound
    at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.initializeBean(AbstractAutowireCapableBeanFactory.java:1336)
    at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.doCreateBean(AbstractAutowireCapableBeanFactory.java:471)
    at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory$1.run(AbstractAutowireCapableBeanFactory.java:409)
    at java.security.AccessController.doPrivileged(Native Method)
    at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBean(AbstractAutowireCapableBeanFactory.java:380)
    at org.springframework.beans.factory.support.AbstractBeanFactory$1.getObject(AbstractBeanFactory.java:264)
    at org.springframework.beans.factory.support.DefaultSingletonBeanRegistry.getSingleton(DefaultSingletonBeanRegistry.java:220)
    at org.springframework.beans.factory.support.AbstractBeanFactory.doGetBean(AbstractBeanFactory.java:261)
    at org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:185)
    at org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:164)
    at
org.springframework.beans.factory.support.DefaultListableBeanFactory.preInstantiateSingletons(DefaultListableBeanFactory.java:423)
    at
org.springframework.context.support.AbstractApplicationContext.finishBeanFactoryInitialization(AbstractApplicationContext.java:729)
    at org.springframework.context.support.AbstractApplicationContext.refresh(AbstractApplicationContext.java:381)
    at org.springframework.context.support.ClassPathXmlApplicationContext.<init>(ClassPathXmlApplicationContext.java:139)
    at org.springframework.context.support.ClassPathXmlApplicationContext.<init>(ClassPathXmlApplicationContext.java:83)
    at com.ontsys.startup.StartupSvc.start(StartupSvc.java:28)
    at com.ontsys.startup.MyContextLoader.loadParentContext(MyContextLoader.java:19)
    at org.springframework.web.context.ContextLoader.initWebApplicationContext(ContextLoader.java:195)
    at org.springframework.web.context.ContextLoaderListener.contextInitialized(ContextLoaderListener.java:45)
    at org.apache.catalina.core.StandardContext.listenerStart(StandardContext.java:3856)
    at org.apache.catalina.core.StandardContext.start(StandardContext.java:4361)
    at org.apache.catalina.core.ContainerBase.addChildInternal(ContainerBase.java:790)
    at org.apache.catalina.core.ContainerBase.addChild(ContainerBase.java:770)
    at org.apache.catalina.core.StandardHost.addChild(StandardHost.java:553)
    at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:39)
    at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:25)

```

```

at java.lang.reflect.Method.invoke(Method.java:585)
at org.apache.tomcat.util.modeler.BaseModelMBean.invoke(BaseModelMBean.java:296)
at org.jboss.mx.server.RawDynamicInvoker.invoke(RawDynamicInvoker.java:164)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.apache.catalina.core.StandardContext.init(StandardContext.java:5312)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:39)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:25)
at java.lang.reflect.Method.invoke(Method.java:585)
at org.apache.tomcat.util.modeler.BaseModelMBean.invoke(BaseModelMBean.java:296)
at org.jboss.mx.server.RawDynamicInvoker.invoke(RawDynamicInvoker.java:164)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.web.tomcat.service.TomcatDeployer.performDeployInternal(TomcatDeployer.java:301)
at org.jboss.web.tomcat.service.TomcatDeployer.performDeploy(TomcatDeployer.java:104)
at org.jboss.web.AbstractWebDeployer.start(AbstractWebDeployer.java:375)
at org.jboss.web.WebModule.startModule(WebModule.java:83)
at org.jboss.web.WebModule.startService(WebModule.java:61)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor3.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:25)
at java.lang.reflect.Method.invoke(Method.java:585)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController$ServiceProxy.invoke(ServiceController.java:978)
at $Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor9.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:25)
at java.lang.reflect.Method.invoke(Method.java:585)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at $Proxy44.start(Unknown Source)
at org.jboss.web.AbstractWebContainer.start(AbstractWebContainer.java:466)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:39)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:25)
at java.lang.reflect.Method.invoke(Method.java:585)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.interceptor.DynamicInterceptor.invoke(DynamicInterceptor.java:97)
at org.jboss.system.InterceptorServiceMBeanSupport.invokeNext(InterceptorServiceMBeanSupport.java:238)
at org.jboss.wsf.container.jboss42.DeployerInterceptor.start(DeployerInterceptor.java:87)
at org.jboss.deployment.SubDeployerInterceptorSupport$XMBeanInterceptor.start(SubDeployerInterceptorSupport.java:188)
at org.jboss.deployment.SubDeployerInterceptor.invoke(SubDeployerInterceptor.java:95)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)

```

```

jndi-lookup-failure-fireworks.txt
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at $Proxy45.start(Unknown Source)
at org.jboss.deployment.MainDeployer.start(MainDeployer.java:1025)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:819)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:782)
at sun.reflect.GeneratedMethodAccessor20.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:25)
at java.lang.reflect.Method.invoke(Method.java:585)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at $Proxy9.deploy(Unknown Source)
at org.jboss.deployment.scanner.URLDeploymentScanner.deploy(URLDeploymentScanner.java:421)
at org.jboss.deployment.scanner.URLDeploymentScanner.scan(URLDeploymentScanner.java:610)
at org.jboss.deployment.scanner.AbstractDeploymentScanner$ScannerThread.doScan(AbstractDeploymentScanner.java:263)
at org.jboss.deployment.scanner.AbstractDeploymentScanner$ScannerThread.loop(AbstractDeploymentScanner.java:274)
at org.jboss.deployment.scanner.AbstractDeploymentScanner$ScannerThread.run(AbstractDeploymentScanner.java:225)
Caused by: javax.naming.NameNotFoundException: QueueConnectionFactory not bound
at org.jnp.server.NamingServer.getBinding(NamingServer.java:529)
at org.jnp.server.NamingServer.getBinding(NamingServer.java:537)
at org.jnp.server.NamingServer.getObject(NamingServer.java:543)
at org.jnp.server.NamingServer.lookup(NamingServer.java:296)
at org.jnp.server.NamingServer.lookup(NamingServer.java:270)
at org.jnp.interfaces.NamingContext.lookup(NamingContext.java:667)
at org.jnp.interfaces.NamingContext.lookup(NamingContext.java:627)
at javax.naming.InitialContext.lookup(InitialContext.java:351)
at org.springframework.jndi.JndiTemplate$1.doInContext(JndiTemplate.java:132)
at org.springframework.jndi.JndiTemplate.execute(JndiTemplate.java:88)
at org.springframework.jndi.JndiTemplate.lookup(JndiTemplate.java:130)
at org.springframework.jndi.JndiTemplate.lookup(JndiTemplate.java:155)
at org.springframework.jndi.JndiLocatorSupport.lookup(JndiLocatorSupport.java:104)
at org.springframework.jndi.JndiObjectLocator.lookup(JndiObjectLocator.java:105)
at org.springframework.jndi.JndiObjectFactoryBean.lookupWithFallback(JndiObjectFactoryBean.java:193)
at org.springframework.jndi.JndiObjectFactoryBean.afterPropertiesSet(JndiObjectFactoryBean.java:179)
at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.invokeInitMethods(AbstractAutowireCapableBeanFactory.java:1367)
)
at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.initializeBean(AbstractAutowireCapableBeanFactory.java:1333)
... 107 more
08:26:12,487 ERROR [[/xa-example-1-SNAPSHOT]] Exception sending context initialized event to listener instance of class
com.ontsys.startup.MyContextLoaderListener
org.springframework.beans.factory.BeanCreationException: Error creating bean with name 'queueConnectionFactory': Invocation of init method
failed; nested exception is javax.naming.NameNotFoundException: QueueConnectionFactory not bound
at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.initializeBean(AbstractAutowireCapableBeanFactory.java:1336)
at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.doCreateBean(AbstractAutowireCapableBeanFactory.java:471)
at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory$1.run(AbstractAutowireCapableBeanFactory.java:409)
at java.security.AccessController.doPrivileged(Native Method)

```

```

at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBean(AbstractAutowireCapableBeanFactory.java:380)
at org.springframework.beans.factory.support.AbstractBeanFactory$1.getObject(AbstractBeanFactory.java:264)
at org.springframework.beans.factory.support.DefaultSingletonBeanRegistry.getSingleton(DefaultSingletonBeanRegistry.java:220)
at org.springframework.beans.factory.support.AbstractBeanFactory.doGetBean(AbstractBeanFactory.java:261)
at org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:185)
at org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:164)
at
org.springframework.beans.factory.support.DefaultListableBeanFactory.preInstantiateSingletons(DefaultListableBeanFactory.java:423)
at
org.springframework.context.support.AbstractApplicationContext.finishBeanFactoryInitialization(AbstractApplicationContext.java:729)
at org.springframework.context.support.AbstractApplicationContext.refresh(AbstractApplicationContext.java:381)
at org.springframework.context.support.ClassPathXmlApplicationContext.<init>(ClassPathXmlApplicationContext.java:139)
at org.springframework.context.support.ClassPathXmlApplicationContext.<init>(ClassPathXmlApplicationContext.java:83)
at com.ontsys.startup.StartupSvc.start(StartupSvc.java:28)
at com.ontsys.startup.MyContextLoader.loadParentContext(MyContextLoader.java:19)
at org.springframework.web.context.ContextLoader.initWebApplicationContext(ContextLoader.java:195)
at org.springframework.web.context.ContextLoaderListener.contextInitialized(ContextLoaderListener.java:45)
at org.apache.catalina.core.StandardContext.listenerStart(StandardContext.java:3856)
at org.apache.catalina.core.StandardContext.start(StandardContext.java:4361)
at org.apache.catalina.core.ContainerBase.addChildInternal(ContainerBase.java:790)
at org.apache.catalina.core.ContainerBase.addChild(ContainerBase.java:770)
at org.apache.catalina.core.StandardHost.addChild(StandardHost.java:553)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:39)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:25)
at java.lang.reflect.Method.invoke(Method.java:585)
at org.apache.tomcat.util.modeler.BaseModelMBean.invoke(BaseModelMBean.java:296)
at org.jboss.mx.server.RawDynamicInvoker.invoke(RawDynamicInvoker.java:164)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.apache.catalina.core.StandardContext.init(StandardContext.java:5312)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:39)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:25)
at java.lang.reflect.Method.invoke(Method.java:585)
at org.apache.tomcat.util.modeler.BaseModelMBean.invoke(BaseModelMBean.java:296)
at org.jboss.mx.server.RawDynamicInvoker.invoke(RawDynamicInvoker.java:164)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.web.tomcat.service.TomcatDeployer.performDeployInternal(TomcatDeployer.java:301)
at org.jboss.web.tomcat.service.TomcatDeployer.performDeploy(TomcatDeployer.java:104)
at org.jboss.web.AbstractWebDeployer.start(AbstractWebDeployer.java:375)
at org.jboss.web.WebModule.startModule(WebModule.java:83)
at org.jboss.web.WebModule.startService(WebModule.java:61)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor3.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:25)
at java.lang.reflect.Method.invoke(Method.java:585)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController$ServiceProxy.invoke(ServiceController.java:978)
at $Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor9.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:25)

```

```

at java.lang.reflect.Method.invoke(Method.java:585)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at $Proxy44.start(Unknown Source)
at org.jboss.web.AbstractWebContainer.start(AbstractWebContainer.java:466)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:39)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:25)
at java.lang.reflect.Method.invoke(Method.java:585)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.interceptor.DynamicInterceptor.invoke(DynamicInterceptor.java:97)
at org.jboss.system.InterceptorServiceMBeanSupport.invokeNext(InterceptorServiceMBeanSupport.java:238)
at org.jboss.wsf.container.jboss42.DeployerInterceptor.start(DeployerInterceptor.java:87)
at org.jboss.deployment.SubDeployerInterceptorSupport$XMBeanInterceptor.start(SubDeployerInterceptorSupport.java:188)
at org.jboss.deployment.SubDeployerInterceptor.invoke(SubDeployerInterceptor.java:95)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at $Proxy45.start(Unknown Source)
at org.jboss.deployment.MainDeployer.start(MainDeployer.java:1025)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:819)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:782)
at sun.reflect.GeneratedMethodAccessor20.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:25)
at java.lang.reflect.Method.invoke(Method.java:585)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at $Proxy9.deploy(Unknown Source)
at org.jboss.deployment.scanner.URLDeploymentScanner.deploy(URLDeploymentScanner.java:421)
at org.jboss.deployment.scanner.URLDeploymentScanner.scan(URLDeploymentScanner.java:610)
at org.jboss.deployment.scanner.AbstractDeploymentScanner$ScannerThread.doScan(AbstractDeploymentScanner.java:263)
at org.jboss.deployment.scanner.AbstractDeploymentScanner$ScannerThread.loop(AbstractDeploymentScanner.java:274)
at org.jboss.deployment.scanner.AbstractDeploymentScanner$ScannerThread.run(AbstractDeploymentScanner.java:225)
Caused by: javax.naming.NameNotFoundException: QueueConnectionFactory not bound
at org.jnp.server.NamingServer.getBinding(NamingServer.java:529)
at org.jnp.server.NamingServer.getBinding(NamingServer.java:537)
at org.jnp.server.NamingServer.getObject(NamingServer.java:543)
at org.jnp.server.NamingServer.lookup(NamingServer.java:296)
at org.jnp.server.NamingServer.lookup(NamingServer.java:270)
at org.jnp.interfaces.NamingContext.lookup(NamingContext.java:667)
at org.jnp.interfaces.NamingContext.lookup(NamingContext.java:627)
at javax.naming.InitialContext.lookup(InitialContext.java:351)

```

```

jndi-lookup-failure-fireworks.txt
at org.springframework.jndi.JndiTemplate$1.doInContext(JndiTemplate.java:132)
at org.springframework.jndi.JndiTemplate.execute(JndiTemplate.java:88)
at org.springframework.jndi.JndiTemplate.lookup(JndiTemplate.java:130)
at org.springframework.jndi.JndiTemplate.lookup(JndiTemplate.java:155)
at org.springframework.jndi.JndiLocatorSupport.lookup(JndiLocatorSupport.java:104)
at org.springframework.jndi.JndiObjectLocator.lookup(JndiObjectLocator.java:105)
at org.springframework.jndi.JndiObjectFactoryBean.lookupWithFallback(JndiObjectFactoryBean.java:193)
at org.springframework.jndi.JndiObjectFactoryBean.afterPropertiesSet(JndiObjectFactoryBean.java:179)
at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.invokeInitMethods(AbstractAutowireCapableBeanFactory.java:1367)
)
at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.initializeBean(AbstractAutowireCapableBeanFactory.java:1333)
... 107 more
08:26:12,721 INFO [StartupSvc] Starting up
08:26:12,721 INFO [ClassPathXmlApplicationContext] Refreshing org.springframework.context.support.ClassPathXmlApplicationContext@1cdd7f4:
display nam
e [org.springframework.context.support.ClassPathXmlApplicationContext@1cdd7f4]; startup date [Mon Jul 07 08:26:12 EDT 2008]; root of context
hierarchy

08:26:12,721 INFO [XmlBeanDefinitionReader] Loading XML bean definitions from class path resource [applicationContext.xml]
08:26:12,767 INFO [ClassPathXmlApplicationContext] Bean factory for application context
[org.springframework.context.support.ClassPathXmlApplicationC
ontext@1cdd7f4]: org.springframework.beans.factory.support.DefaultListableBeanFactory@14d6b74
08:26:12,783 INFO [DefaultListableBeanFactory] Pre-instantiating singletons in
org.springframework.beans.factory.support.DefaultListableBeanFactory@1
4d6b74: defining beans [queueConnectionFactory,transactionManager]; root of factory hierarchy
08:26:12,783 INFO [DefaultListableBeanFactory] Destroying singletons in
org.springframework.beans.factory.support.DefaultListableBeanFactory@14d6b74:
defining beans [queueConnectionFactory,transactionManager]; root of factory hierarchy
08:26:12,783 ERROR [[/xa-example-1-SNAPSHOT]] Exception sending context initialized event to listener instance of class
com.ontsys.startup.MyServletCo
ntextListener
org.springframework.beans.factory.BeanCreationException: Error creating bean with name 'queueConnectionFactory': Invocation of init method
failed; nes
ted exception is javax.naming.NameNotFoundException: QueueConnectionFactory not bound
at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.initializeBean(AbstractAutowireCapableBeanFactory.java:1336)
at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.doCreateBean(AbstractAutowireCapableBeanFactory.java:471)
at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory$1.run(AbstractAutowireCapableBeanFactory.java:409)
at java.security.AccessController.doPrivileged(Native Method)
at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBean(AbstractAutowireCapableBeanFactory.java:380)
at org.springframework.beans.factory.support.AbstractBeanFactory$1.getObject(AbstractBeanFactory.java:264)
at org.springframework.beans.factory.support.DefaultSingletonBeanRegistry.getSingleton(DefaultSingletonBeanRegistry.java:220)
at org.springframework.beans.factory.support.AbstractBeanFactory.doGetBean(AbstractBeanFactory.java:261)
at org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:185)
at org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:164)
at
org.springframework.beans.factory.support.DefaultListableBeanFactory.preInstantiateSingletons(DefaultListableBeanFactory.java:423)
at
org.springframework.context.support.AbstractApplicationContext.finishBeanFactoryInitialization(AbstractApplicationContext.java:729)
at org.springframework.context.support.AbstractApplicationContext.refresh(AbstractApplicationContext.java:381)
at org.springframework.context.support.ClassPathXmlApplicationContext.<init>(ClassPathXmlApplicationContext.java:139)
at org.springframework.context.support.ClassPathXmlApplicationContext.<init>(ClassPathXmlApplicationContext.java:83)
at com.ontsys.startup.StartupSvc.start(StartupSvc.java:28)
at com.ontsys.startup.MyServletContextListener.contextInitialized(MyServletContextListener.java:16)

```

```

at org.apache.catalina.core.StandardContext.listenerStart(StandardContext.java:3856)
at org.apache.catalina.core.StandardContext.start(StandardContext.java:4361)
at org.apache.catalina.core.ContainerBase.addChildInternal(ContainerBase.java:790)
at org.apache.catalina.core.ContainerBase.addChild(ContainerBase.java:770)
at org.apache.catalina.core.StandardHost.addChild(StandardHost.java:553)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:39)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:25)
at java.lang.reflect.Method.invoke(Method.java:585)
at org.apache.tomcat.util.modeler.BaseModelMBean.invoke(BaseModelMBean.java:296)
at org.jboss.mx.server.RawDynamicInvoker.invoke(RawDynamicInvoker.java:164)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.apache.catalina.core.StandardContext.init(StandardContext.java:5312)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:39)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:25)
at java.lang.reflect.Method.invoke(Method.java:585)
at org.apache.tomcat.util.modeler.BaseModelMBean.invoke(BaseModelMBean.java:296)
at org.jboss.mx.server.RawDynamicInvoker.invoke(RawDynamicInvoker.java:164)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.web.tomcat.service.TomcatDeployer.performDeployInternal(TomcatDeployer.java:301)
at org.jboss.web.tomcat.service.TomcatDeployer.performDeploy(TomcatDeployer.java:104)
at org.jboss.web.AbstractWebDeployer.start(AbstractWebDeployer.java:375)
at org.jboss.web.WebModule.startModule(WebModule.java:83)
at org.jboss.web.WebModule.startService(WebModule.java:61)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor3.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:25)
at java.lang.reflect.Method.invoke(Method.java:585)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController$ServiceProxy.invoke(ServiceController.java:978)
at $Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor9.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:25)
at java.lang.reflect.Method.invoke(Method.java:585)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at $Proxy44.start(Unknown Source)
at org.jboss.web.AbstractWebContainer.start(AbstractWebContainer.java:466)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:39)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:25)
at java.lang.reflect.Method.invoke(Method.java:585)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)

```

```

jndi-lookup-failure-fireworks.txt
at org.jboss.mx.interceptor.DynamicInterceptor.invoke(DynamicInterceptor.java:97)
at org.jboss.system.InterceptorServiceMBeanSupport.invokeNext(InterceptorServiceMBeanSupport.java:238)
at org.jboss.wsf.container.jboss42.DeployerInterceptor.start(DeployerInterceptor.java:87)
at org.jboss.deployment.SubDeployerInterceptorSupport$XMBeanInterceptor.start(SubDeployerInterceptorSupport.java:188)
at org.jboss.deployment.SubDeployerInterceptor.invoke(SubDeployerInterceptor.java:95)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at $Proxy45.start(Unknown Source)
at org.jboss.deployment.MainDeployer.start(MainDeployer.java:1025)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:819)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:782)
at sun.reflect.GeneratedMethodAccessor20.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:25)
at java.lang.reflect.Method.invoke(Method.java:585)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at $Proxy9.deploy(Unknown Source)
at org.jboss.deployment.scanner.URLDeploymentScanner.deploy(URLDeploymentScanner.java:421)
at org.jboss.deployment.scanner.URLDeploymentScanner.scan(URLDeploymentScanner.java:610)
at org.jboss.deployment.scanner.AbstractDeploymentScanner$ScannerThread.doScan(AbstractDeploymentScanner.java:263)
at org.jboss.deployment.scanner.AbstractDeploymentScanner$ScannerThread.loop(AbstractDeploymentScanner.java:274)
at org.jboss.deployment.scanner.AbstractDeploymentScanner$ScannerThread.run(AbstractDeploymentScanner.java:225)
Caused by: javax.naming.NameNotFoundException: QueueConnectionFactory not bound
at org.jnp.server.NamingServer.getBinding(NamingServer.java:529)
at org.jnp.server.NamingServer.getBinding(NamingServer.java:537)
at org.jnp.server.NamingServer.getObject(NamingServer.java:543)
at org.jnp.server.NamingServer.lookup(NamingServer.java:296)
at org.jnp.server.NamingServer.lookup(NamingServer.java:270)
at org.jnp.interfaces.NamingContext.lookup(NamingContext.java:667)
at org.jnp.interfaces.NamingContext.lookup(NamingContext.java:627)
at javax.naming.InitialContext.lookup(InitialContext.java:351)
at org.springframework.jndi.JndiTemplate$1.doInContext(JndiTemplate.java:132)
at org.springframework.jndi.JndiTemplate.execute(JndiTemplate.java:88)
at org.springframework.jndi.JndiTemplate.lookup(JndiTemplate.java:130)
at org.springframework.jndi.JndiTemplate.lookup(JndiTemplate.java:155)
at org.springframework.jndi.JndiLocatorSupport.lookup(JndiLocatorSupport.java:104)
at org.springframework.jndi.JndiObjectLocator.lookup(JndiObjectLocator.java:105)
at org.springframework.jndi.JndiObjectFactoryBean.lookupWithFallback(JndiObjectFactoryBean.java:193)
at org.springframework.jndi.JndiObjectFactoryBean.afterPropertiesSet(JndiObjectFactoryBean.java:179)
at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.invokeInitMethods(AbstractAutowireCapableBeanFactory.java:1367)
)
at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.initializeBean(AbstractAutowireCapableBeanFactory.java:1333)
... 105 more
08:26:13,017 ERROR [StandardContext] Error listenerStart
08:26:13,032 ERROR [StandardContext] Context [/xa-example-1-SNAPSHOT] startup failed due to previous errors
08:26:13,032 INFO [StartupSvc] Shutting down
08:26:13,032 ERROR [[/xa-example-1-SNAPSHOT]] Exception sending context destroyed event to listener instance of class

```



```

com.ontsys.startup.MyServletCont
extListener
java.lang.NullPointerException
    at com.ontsys.startup.StartupSvc.shutdown(StartupSvc.java:34)
    at com.ontsys.startup.MyServletContextListener.contextDestroyed(MyServletContextListener.java:21)
    at org.apache.catalina.core.StandardContext.listenerStop(StandardContext.java:3895)
    at org.apache.catalina.core.StandardContext.stop(StandardContext.java:4527)
    at org.apache.catalina.core.StandardContext.start(StandardContext.java:4391)
    at org.apache.catalina.core.ContainerBase.addChildInternal(ContainerBase.java:790)
    at org.apache.catalina.core.ContainerBase.addChild(ContainerBase.java:770)
    at org.apache.catalina.core.StandardHost.addChild(StandardHost.java:553)
    at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:39)
    at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:25)
    at java.lang.reflect.Method.invoke(Method.java:585)
    at org.apache.tomcat.util.modeler.BaseModelMBean.invoke(BaseModelMBean.java:296)
    at org.jboss.mx.server.RawDynamicInvoker.invoke(RawDynamicInvoker.java:164)
    at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
    at org.apache.catalina.core.StandardContext.init(StandardContext.java:5312)
    at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:39)
    at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:25)
    at java.lang.reflect.Method.invoke(Method.java:585)
    at org.apache.tomcat.util.modeler.BaseModelMBean.invoke(BaseModelMBean.java:296)
    at org.jboss.mx.server.RawDynamicInvoker.invoke(RawDynamicInvoker.java:164)
    at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
    at org.jboss.web.tomcat.service.TomcatDeployer.performDeployInternal(TomcatDeployer.java:301)
    at org.jboss.web.tomcat.service.TomcatDeployer.performDeploy(TomcatDeployer.java:104)
    at org.jboss.web.AbstractWebDeployer.start(AbstractWebDeployer.java:375)
    at org.jboss.web.WebModule.startModule(WebModule.java:83)
    at org.jboss.web.WebModule.startService(WebModule.java:61)
    at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
    at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
    at sun.reflect.GeneratedMethodAccessor3.invoke(Unknown Source)
    at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:25)
    at java.lang.reflect.Method.invoke(Method.java:585)
    at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
    at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
    at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
    at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
    at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
    at org.jboss.system.ServiceController$ServiceProxy.invoke(ServiceController.java:978)
    at $Proxy0.start(Unknown Source)
    at org.jboss.system.ServiceController.start(ServiceController.java:417)
    at sun.reflect.GeneratedMethodAccessor9.invoke(Unknown Source)
    at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:25)
    at java.lang.reflect.Method.invoke(Method.java:585)
    at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
    at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
    at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
    at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
    at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
    at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
    at $Proxy44.start(Unknown Source)
    at org.jboss.web.AbstractWebContainer.start(AbstractWebContainer.java:466)
    at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:39)
    at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:25)

```

```

at java.lang.reflect.Method.invoke(Method.java:585)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.interceptor.DynamicInterceptor.invoke(DynamicInterceptor.java:97)
at org.jboss.system.InterceptorServiceMBeanSupport.invokeNext(InterceptorServiceMBeanSupport.java:238)
at org.jboss.ws.container.jboss42.DeployerInterceptor.start(DeployerInterceptor.java:87)
at org.jboss.deployment.SubDeployerInterceptorSupport$XMBeanInterceptor.start(SubDeployerInterceptorSupport.java:188)
at org.jboss.deployment.SubDeployerInterceptor.invoke(SubDeployerInterceptor.java:95)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at $Proxy45.start(Unknown Source)
at org.jboss.deployment.MainDeployer.start(MainDeployer.java:1025)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:819)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:782)
at sun.reflect.GeneratedMethodAccessor20.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:25)
at java.lang.reflect.Method.invoke(Method.java:585)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at $Proxy9.deploy(Unknown Source)
at org.jboss.deployment.scanner.URLDeploymentScanner.deploy(URLDeploymentScanner.java:421)
at org.jboss.deployment.scanner.URLDeploymentScanner.scan(URLDeploymentScanner.java:610)
at org.jboss.deployment.scanner.AbstractDeploymentScanner$ScannerThread.doScan(AbstractDeploymentScanner.java:263)
at org.jboss.deployment.scanner.AbstractDeploymentScanner$ScannerThread.loop(AbstractDeploymentScanner.java:274)
at org.jboss.deployment.scanner.AbstractDeploymentScanner$ScannerThread.run(AbstractDeploymentScanner.java:225)
08:26:13,204 INFO  [[/xa-example-1-SNAPSHOT]] Closing Spring root WebApplicationContext
08:26:13,282 WARN  [ServiceController] Problem starting service jboss.web.deployment:war=xa-example-1-SNAPSHOT.war,id=1860441999
org.jboss.deployment.DeploymentException: URL
file:/C:/installs/jboss-4.2.2.GA/server/default/tmp/deploy/tmp56891xa-example-1-SNAPSHOT-exp.war/ deploy
ment failed
at org.jboss.web.tomcat.service.TomcatDeployer.performDeployInternal(TomcatDeployer.java:379)
at org.jboss.web.tomcat.service.TomcatDeployer.performDeploy(TomcatDeployer.java:104)
at org.jboss.web.AbstractWebDeployer.start(AbstractWebDeployer.java:375)
at org.jboss.web.WebModule.startModule(WebModule.java:83)
at org.jboss.web.WebModule.startService(WebModule.java:61)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor3.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:25)
at java.lang.reflect.Method.invoke(Method.java:585)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController$ServiceProxy.invoke(ServiceController.java:978)

```

```

at $Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor9.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:25)
at java.lang.reflect.Method.invoke(Method.java:585)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at $Proxy44.start(Unknown Source)
at org.jboss.web.AbstractWebContainer.start(AbstractWebContainer.java:466)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:39)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:25)
at java.lang.reflect.Method.invoke(Method.java:585)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.interceptor.DynamicInterceptor.invoke(DynamicInterceptor.java:97)
at org.jboss.system.InterceptorServiceMBeanSupport.invokeNext(InterceptorServiceMBeanSupport.java:238)
at org.jboss.ws.container.jboss42.DeployerInterceptor.start(DeployerInterceptor.java:87)
at org.jboss.deployment.SubDeployerInterceptorSupport$XMBeanInterceptor.start(SubDeployerInterceptorSupport.java:188)
at org.jboss.deployment.SubDeployerInterceptor.invoke(SubDeployerInterceptor.java:95)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at $Proxy45.start(Unknown Source)
at org.jboss.deployment.MainDeployer.start(MainDeployer.java:1025)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:819)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:782)
at sun.reflect.GeneratedMethodAccessor20.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:25)
at java.lang.reflect.Method.invoke(Method.java:585)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at $Proxy9.deploy(Unknown Source)
at org.jboss.deployment.scanner.URLDeploymentScanner.deploy(URLDeploymentScanner.java:421)
at org.jboss.deployment.scanner.URLDeploymentScanner.scan(URLDeploymentScanner.java:610)
at org.jboss.deployment.scanner.AbstractDeploymentScanner$ScannerThread.doScan(AbstractDeploymentScanner.java:263)
at org.jboss.deployment.scanner.AbstractDeploymentScanner$ScannerThread.loop(AbstractDeploymentScanner.java:274)
at org.jboss.deployment.scanner.AbstractDeploymentScanner$ScannerThread.run(AbstractDeploymentScanner.java:225)

```

08:26:13,406 ERROR [MainDeployer] Could not start deployment:

file:/C:/installs/jboss-4.2.2.GA/server/default/deploy/xa-example-1-SNAPSHOT.war

org.jboss.deployment.DeploymentException: URL

file:/C:/installs/jboss-4.2.2.GA/server/default/tmp/deploy/tmp56891xa-example-1-SNAPSHOT-exp.war/ deploy

ment failed

```

at org.jboss.web.tomcat.service.TomcatDeployer.performDeployInternal(TomcatDeployer.java:379)
at org.jboss.web.tomcat.service.TomcatDeployer.performDeploy(TomcatDeployer.java:104)
at org.jboss.web.AbstractWebDeployer.start(AbstractWebDeployer.java:375)
at org.jboss.web.WebModule.startModule(WebModule.java:83)
at org.jboss.web.WebModule.startService(WebModule.java:61)
at org.jboss.system.ServiceMBeanSupport.jbossInternalStart(ServiceMBeanSupport.java:289)
at org.jboss.system.ServiceMBeanSupport.jbossInternalLifecycle(ServiceMBeanSupport.java:245)
at sun.reflect.GeneratedMethodAccessor3.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:25)
at java.lang.reflect.Method.invoke(Method.java:585)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.system.ServiceController$ServiceProxy.invoke(ServiceController.java:978)
at $Proxy0.start(Unknown Source)
at org.jboss.system.ServiceController.start(ServiceController.java:417)
at sun.reflect.GeneratedMethodAccessor9.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:25)
at java.lang.reflect.Method.invoke(Method.java:585)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:86)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at $Proxy44.start(Unknown Source)
at org.jboss.web.AbstractWebContainer.start(AbstractWebContainer.java:466)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:39)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:25)
at java.lang.reflect.Method.invoke(Method.java:585)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.interceptor.DynamicInterceptor.invoke(DynamicInterceptor.java:97)
at org.jboss.system.InterceptorServiceMBeanSupport.invokeNext(InterceptorServiceMBeanSupport.java:238)
at org.jboss.wsf.container.jboss42.DeployerInterceptor.start(DeployerInterceptor.java:87)
at org.jboss.deployment.SubDeployerInterceptorSupport$XMBeanInterceptor.start(SubDeployerInterceptorSupport.java:188)
at org.jboss.deployment.SubDeployerInterceptor.invoke(SubDeployerInterceptor.java:95)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at $Proxy45.start(Unknown Source)
at org.jboss.deployment.MainDeployer.start(MainDeployer.java:1025)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:819)
at org.jboss.deployment.MainDeployer.deploy(MainDeployer.java:782)
at sun.reflect.GeneratedMethodAccessor20.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:25)
at java.lang.reflect.Method.invoke(Method.java:585)
at org.jboss.mx.interceptor.ReflectedDispatcher.invoke(ReflectedDispatcher.java:155)
at org.jboss.mx.server.Invocation.dispatch(Invocation.java:94)
at org.jboss.mx.interceptor.AbstractInterceptor.invoke(AbstractInterceptor.java:133)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)

```

```
at org.jboss.mx.interceptor.ModelMBeanOperationInterceptor.invoke(ModelMBeanOperationInterceptor.java:142)
at org.jboss.mx.server.Invocation.invoke(Invocation.java:88)
at org.jboss.mx.server.AbstractMBeanInvoker.invoke(AbstractMBeanInvoker.java:264)
at org.jboss.mx.server.MBeanServerImpl.invoke(MBeanServerImpl.java:659)
at org.jboss.mx.util.MBeanProxyExt.invoke(MBeanProxyExt.java:210)
at $Proxy9.deploy(Unknown Source)
at org.jboss.deployment.scanner.URLDeploymentScanner.deploy(URLDeploymentScanner.java:421)
at org.jboss.deployment.scanner.URLDeploymentScanner.scan(URLDeploymentScanner.java:610)
at org.jboss.deployment.scanner.AbstractDeploymentScanner$ScannerThread.doScan(AbstractDeploymentScanner.java:263)
at org.jboss.deployment.scanner.AbstractDeploymentScanner$ScannerThread.loop(AbstractDeploymentScanner.java:274)
at org.jboss.deployment.scanner.AbstractDeploymentScanner$ScannerThread.run(AbstractDeploymentScanner.java:225)
```